

**File Name:** brother ls-1217 manual.pdf

**Size:** 2876 KB

Type: PDF, ePub, eBook

Category: Book

**Uploaded:** 24 May 2019, 15:31 PM

Rating: 4.6/5 from 735 votes.

### **Status: AVAILABLE**

Last checked: 18 Minutes ago!

In order to read or download brother ls-1217 manual ebook, you need to create a FREE account.

# **Download Now!**

eBook includes PDF, ePub and Kindle version

- ☐ Register a free 1 month Trial Account.
- ☐ Download as many books as you like (Personal use)
- Cancel the membership at any time if not satisfied.
- **☐ Join Over 80000 Happy Readers**

#### **Book Descriptions:**

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with brother ls-1217 manual . To get started finding brother ls-1217 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



### **Book Descriptions:**

# brother ls-1217 manual

Always unplug this sewing machine from the electrical outlet immediately after using and before cleaning. IMPORTANT If the available socket outlet is not suitable for the plug supplied with this equipment, it should be cut off and an appropriate three pin plug fitted. SNAPON TYPE Turn power switch to "O". 1. Raise the needle to its highest position by turning the balance wheel toward you counterclockwise, then raise the presser foot lever. 2. To change your machine to the freearm style, lift up on the extension table and pull it out. See fig. A. 1 Lift the bottom of the extension table up toward you. 2 Pull the extension table out to remove it. The numbers above the knob represent the stitch length in millimeters mm. The larger numbers set a longer stitch length. When the knob is set to 0, the fabric is not fed. This setting is used for sewing on a button. The numbers above the knob represent the stitch width in millimeters mm. The larger numbers set a wider stitch width. When the knob is set at 0, a straight stitch is sewn. NOTE 1. When you sew close to the edge of the fabric, select L or R so the fabric is fed more easily. With your right hand, turn the balance wheel toward you counterclockwise until the needle moves down and back up again to its highest posi tion. You can use the same color or two different colors of thread for decorative stitches. Be sure that the two upper threads used for threading the twin needle have the same weight. Puede usar el mismo color de hilo o dos hilos de colores distintos para puntadas decorativas. It may need to be adjusted when you change fabric or thread type. NOTE It is recommended that a test sample be made on a fabric scrap before sewing on your project. The basic thread tension setting is "5". For most sewing applications, no adjustment is needed. When sewing with thin thread on thin fabrics, the thread tension may not be adjusted adequately with the upper tension control dial.http://www.resortfrati.it/userfiles/d-link-wireless-router-manuals.xml

• brother ls-1217 manual, brother ls 1217 manual, english brother ls 1217 manual, manual for brother ls-1217 sewing machine, ls 1217 brother sewing machine manual, manual for brother ls 1217, brother sewing machine ls-1217 manual.

There fore, the thread tension must be adjusted according to the procedure described below. If the needle ends in the up position turn the balance wheel toward you counterclockwise until the needle enters the fabric. For sewing thick fabric The fabric does not feed smoothly when the presser foot is slanted as shown in the illustration. If you pull the fabric, the needle may either bend or break. However, when sewing on special fabrics, such as tricot, crepes, knits, etc., we recommend that you support the fabric both in front and in back of the presser foot with a little tension as shown in fig. STITCH WIDTH See the table on the next page. NEEDLE POSITION M, L, R PRESSER FOOT Zigzag NEEDLE Single or Twin Various decorative stitches can be obtained by sewing with the Satin Stitch according to the instructions on the following page. STITCH WIDTH See the instructions below. NEEDLE POSITION R right position PRESSER FOOT Zigzag NEEDLE Single Making a buttonhole NOTE 1. It is recommended to practice making a buttonhole on a scrap piece of fabric before attempting it on your project. NEEDLE POSITION L or R PRESSER FOOT Zigzag NEEDLE Single OTHEr Darning Plate 1. Set the darning plate on the needle plate over the feed dogs as shown in the illustration and press down into place. When sewing the right side of the zipper, loosen the zipper foot screw and slide the zipper foot to the left. A on the next page. 2. Place the portion to be darned under the presser foot together with a fabric underlay for reinforcement. NOTE A decorative touch can be added by using the Satin Stitch or a Decora tive Stitch to attach the lace. Place the edge of the fabric under the presser foot so the needle enters the fabric when the left side of the zigzag stitch is sewn and misses the edge of the fabric with the right side of the stitch. NEEDLE POSITION

PRESSER FOOT Zigzag NEEDLE Single 1. Set the stitch width knob so the needle will just clear both sides of the cording. 2. <a href="http://www.magnachip.co.kr/userfiles/20200914224822.xml">http://www.magnachip.co.kr/userfiles/20200914224822.xml</a>

Place the cord on the fabric in the position where it will be sewn. 3. STITCH WIDTH NEEDLE POSITION PRESSER FOOT None NEEDLE Single OTHERS Darning plate Preparing for monogramming and embroidering 1. Place the darning plate on the needle plate. 2. Draw the lettering for monogramming or design for embroider ing on the surface of the fabric with delible ink or tailor's chalk. If the problem continues, the following checklist may help you to improve the operation. If you still have difficulties, contact your nearest service center. Si el problema persiste, el siguiente listado puede avudarle. It may become necessary to reship the sewing machine. Improper packing or improper packing fabric could result in damage during shipping. Instructions for repacking the machine are illustrated. IMPORTANT This packing fabric is designed to prevent damage in transit. Ask your question here. Provide a clear and comprehensive description of the issue and your question. The more detail you provide for your issue and question, the easier it will be for other Brother LS1217 owners to properly answer your question. Ask a question About the Brother LS1217 This manual comes under the category Sewing machines and has been rated by 2 people with an average of a 7.3. This manual is available in the following languages English, French, Spanish, Portuguese. Do you have a question about the Brother LS1217 or do you need help. Ask your question here Brother LS1217 specifications Brand With a thick fabric you should use a thick needle. The packaging of your needle states for which substances your needle is suitable. Manual Searcher.com ensures that you will find the manual you are looking for in no time. Our database contains more than 1 million PDF manuals from more than 10,000 brands. Every day we add the latest manuals so that you will always find the product you are looking for.

Its very simple just type the brand name and the type of product in the search bar and you can instantly view the manual of your choice online for free. ManualSearcher. com If you continue to use this site we will assume that you are happy with it. Read more Ok. Please do not offer the downloaded file for sell only use it for personal usage. Looking for other manual. Document preview No preview for this item! For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program. In addition, Also some files are djvu so you need divu viewer to open them. These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Translate this page Relevant HOUSEHOLD forum topics Ismeros Panasonic eloltoltos mosogepenel mi az E01 hibakod. A gep Pecelen van. Mi a Bp. XVI.keruletben. Sziasztok! A kollegam ismerose mobilon hivta a kollegamat. Az illeto peceli. Annyit tudott mondani a mosogeperol, munkaja kozben, hogy Panasonic a mosogepe es E01 van a kijelzon.Kerem, hogy aki tudja, hogy mit takar ez az error code, az irja meg. Nagyon szepen koszonom, elore is. Udv varga jano Zanussi ZWG1100 kijelzorol eltunik minden Sziasztok! Tegnap javitottam volna 1 Zanussi ZWG1100 tipusu eloltoltos gepet! A hiba amit megprobaltam javitani A panelt atneztem, eges nyom nincs, ujra kondiztam a panelt, atneztem mindent rajta, motor, ajtoretesz, magneszelep, stb, mindet jonak mertem a service manual alapjan! A kondizas utan is a tunet maradt!Ha mosast inditok,ha centrit,vagy csak siman vizleszivatyuzast inditok akkor is,23 perc uzem utan leaal! Ujra inditani csak aramtalanitas utan,par perc mulva lehet csak! En panel hibara gyanakszom! Valakinek tapasztalat, velemeny Tudtok valakit, aki atnezne a panelt.

Varom valaszotokat!Udv,s tovabbi szep napot!villszer Zephyr elektronika programozhatoe hazilag Sziasztok! Kezembe kerult egy a Whirlpool csaladhoz tartozo privileg szaritogep. A cimben szereplo elektronika van benne.A gep kiall f03 hibauzenetre,amit nem tudok kitorolni beloleprogramvalaszto 6ora allasba 3x start,majd egyet fordit oramutato jarasaval egyezoen es ismet 3x start. Masik elektronikaval mukodik,tehat csakis az elektronikaval lett valami.Epromot nem talalni kulon a

panelen. Egy MC9S08AW60 as uP figyel benne, amiben gondolom benne van az eprom. Kerdesem az lenne,hogy lehete ezeket a uPokat valamifele modon hazilag megirniVagy csakis a markaszerviz a kis SAMmel tudja ezeket vizslatni Azt hiszem kerget a balszerencse utolert! A fenti keszulek, ust csapagyazasa utan a program kapcsoloja. Kiszallt belole a fust! Kerdeznem a tisztel mestereket az R30, es R9 pozicio szamu Az R30 az szepen elszallt, az R9 meg csak csak saccolhato. Vagy valamelyik dokuba esetleg fellelheto. Segitsegeteket elore is koszonom. UiA NTC zarlata volt az elkoveto. Egy rola keszult foto is jol jonne, minel nagyobb felbontasban. Ha nagymeretu johet a mail cimemre. Adatlapomon talalhato. Similar manuals You can write in English language into the forum not only in Hungarian. Suciedad y restos cable. This switch turns the main power and sewing light on or off. See fig. A.. Interrupteur principal et de la lampeChangement de pieddebiche. Converting to FreeArm Style. Freearm sewing is convenient for sewing tubular and hardtoreach areas on garments. To determine the correct knob position, first test the length settings on tissu. When the knob is set at 0, a straight stitch is sewn. NOTE 1. Do not move the knob while the needle is in the fabric. 2. When using the twin needle, the knob should always be set below 3. The upper thread should pass between the toes of the presser foot. Possible Problems and How To Correct Them A Upper tension is too tight. Loops appear on the surface of the fabric.

## http://pandaplast.com/images/conquering-yourself-manual-1917.pdf

Tension du filLoops appear on the surface of the fabric. Decrease the thread tension by turning the dial to a lower number. If the result is still not satisfactory, then adjust the bobbin thread tension as explained in C1. Finishing Sewing fig. For sewing thick fabric The fabric does not feed smoothly when the presser foot is slanted as shown in the illustration. If you pull the fabric, the needle may either bend or break. Decorative Stitches. STITCH LENGTH STITCH WIDTH NEEDLE POSITION PRESSER FOOT NEEDLE Set between 0 and 1 F for the sewing with the Satin Stitch according to the instructions on the following page. NOTE For twin needle sewing, repeatedly move the stitch width knob from 0 to 3, then from 3 to 0.R right position Zigzag SingleR a la derecha Zigzag Simple. L or R Zigzag Single Darning Plate. Coudre un boutonWhen sewing the right side of the zipper, loosen the zipper foot screw and slide the zipper foot to the left. When sewing the left side of the zipper, loosen the zipper foot screw and slide the zipper foot to the right. Fronces STITCH LENGTH STITCH WIDTH NEEDLE POSITION PRESSER FOOT NEEDLE OTHER F2 0 M None Single Darning plate. ReprisageCoudre de la dentelleSTITCH LENGTH STITCH WIDTH NEEDLE POSITION PRESSER FOOT NEEDLE F2 13 M Zigzag Single. AppliquesSTITCH LENGTH STITCH WIDTH NEEDLE POSITION PRESSER FOOT NEEDLE 34 35 L Zigzag Single. Points sur le bordMonogramming and Embroidering. STITCH LENGTH STITCH WIDTH NEEDLE POSITION PRESSER FOOT NEEDLE OTHERS Set at any position. 05 M None Single Darning plate. Monogrammes et broderiesLoosen the face plate screw as shown in fig. A. Remove the face plate from the machine as illustrated in fig. B. Replace the sewing light bulb. See fig. C.If the machine is used more often, oil every day. Sewing machine oil is available from your local sewing machine dealer or service center. Do not apply too much oil as it may get on your thread and fabric.

#### https://panaceafamilymedicine.com/images/congueror-1086-manual.pdf

HuilageNettoyageIf you still have difficulties, contact your nearest service center.Needle is not correctly inserted. M Page 6. Lint is clinging to the bottom of the needle plate. M Page 55 No M. Power supply plug is removed from outlet. M Page 4 No MM Page 14M Pagina 15M Pagina 17Improper packing or improper packing fabric could result in damage during shipping. Instructions for repacking the machine are illustrated. Remballage de la machine. You may find documents other than justHow Do I Install It We keep our list of direct Brother International LS1217 driver and firmware links uptodate so they are easy to find when you need them. Please choose a different delivery location.Our payment security system encrypts your information during transmission. We don't share your credit card details with thirdparty sellers, and we don't sell your information to

others. Please try again.Please try again.This is NOT an original as originals are out of print, but we use the best scans available. Plastic Comb Bound with clear plastic on front and back covers to help protect manual. All manuals are in public domain or printed with permission. Then you can start reading Kindle books on your smartphone, tablet, or computer no Kindle device required. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account If you are a seller for this product, would you like to suggest updates through seller support Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers, and factors that establish reviewer trustworthiness. Preparativos; Coser puntadas de utilidad Mantenimiento; Consejo unico; Solucion de problemas. Coser puntadas de. View and Download Brother LS1217 instruction manual online. Brother LS1217.

Brother LS1217 Instruction Manual. Cuando se usa una maquina de coser. View and Download Brother LS1217 instruction manual online. Brother LS1217 Sewing. Nunca haga funcionar la maguina de coser si el cordon de alimentación o. Brother LS 1217 Sewing Machine Threading Diagram. Maguinas De Coser Brother, Herramientas De Costura, Limpieza, Industrial, Threading Ver mas Manual De La Maguina De Coser Brother. LS 2125 Sewing Machine Manual Brother LS 1217 Sewing Machine Manual. Funcionamiento de la ma quina de coser, Operando a sua maquina de costura, Branchement des prises. La maguina de coser Brother LS 1217 viene con un manual de usuario que describe las instrucciones de cuidado. Brother LS1217 Mechanical Sewing Machine. Manual Maguina De Coser Brother Ls. Download BROTHER LS 1217 SEWING MACHINE MANUAL PDF Maquina de. Brother Maquina De Coser 10 Stitch Ls. Cuando se usa una maquina de coser, debe seguirse unas precauciones basicas y que se detallan a continuacion. "CONSERVE ESTE MANUAL DE INSTRUCCIONES. Instruction Manual Manual de instrucciones. Encontra Brother Ls 1217 en Mercado Libre Argentina. Descubri la mejor forma de comprar online. Manuales de servicio para todos los modelos maquinas de coser Brother, Video tutoriales de reparacion de maquinas. Brother offers a complete line of Printer, Fax. Manual de instrucciones en ingles y en espanol. Maquina de coser computarizada de 60 puntadas con mesa de. Encuentra Maquina Brother Ls 1217 en Mercado Libre Mexico. Descubre la mejor forma de comprar online. Bienvenido a Brother International de Mexico. Brother. Brother te brinda algunos tips para elegir la maguina de coser. Verifica tu manual. Las maquinas de. Manual de instrucciones Maquina de Coser Alfa. Os dejamos el enlace directo hacia la pagina oficial de Brother. Donde teneis una gran seleccion de libros de. Vendo maguina de coser multipunto marca Brother modelo LS1217. La maguina de coser esta en perfecto estado,.

 $\underline{www.insurancedirect canada.ca/wp-content/plugins/formcraft/file-upload/server/content/files/16273d}{f4f437fd---brno-zkw-465-manual.pdf}$ 

Este pedal puede usarse para los modelo de maquina de coser LS1217. Interruptor de Forca Principal e da Luz.. We also supply LS1217 manuals. Instruction Manual, Brother LS1217 More Info Previous 1 2 3 Next. 021 Printed in China 6 5 4 3 2 1 Operation Manual Manual de.Manual De Maquina De Coser Brother Ls. Download BROTHER LS 1217 SEWING MACHINE MANUAL PDF Maquina de. Como enhebrar una maquina de coser Brother. Maquina De Coser Brother Xm3700 37 Puntadas Con 74 Funciones. Manual De La Maquina Brother Ls2125i Brother ls2125i. Maquina De Coser Brother Ls 2125. Maquina De Coser Brother Ls 2125. Maquina De Coser Brother Ls1217 Encuentra maquina de coser brother rapido en Vivanuncios. Maquina de Coser BROTHER LS1217. Incluye el manual de usuario y estuche con base protectiva. Manual Maquina De Coser Brother Lx 3125. Maquina de Coser Singer. Calentadores kruger manual. Boiler de Paso Kruger. Reload to refresh your session. Reload to refresh your session. Were committed to dealing with such abuse according to the laws in your country of residence. When you submit a report, well investigate

it and take the appropriate action. Well get back to you only if we require additional details or have more information to share. Note that email addresses and full names are not considered private information. Please mention this; Therefore, avoid filling in personal details. The manual is 1,32 mb in size. If you have not received an email, then probably have entered the wrong email address or your mailbox is too full. In addition, it may be that your ISP may have a maximum size for emails to receive. Check your email Please enter your email address. Saying no will not stop you from seeing Etsy ads, but it may make them less relevant or more repetitive. Please update to the latest version. Both registration and sign in support using google and facebook accounts. Escape will close this window.

Etsy may send you communications; you may change your preferences in your account settings. Learn more The illustrations and lettering are clear. Some topics included in the table of contents that this manual covers are learning machine parts and accessories; operating your machine such as inserting needles and changing presser feet; threading the machine; basic sewing tips and techniques; using the builtin utility stitches and techniques; using attachments and applications; machine maintenance; troubleshooting; and more. If you own a Brother LS1217 or LS1217B and need a replacement instruction handbook manual, this a MUST HAVE item at a very reasonable cost. US buyers pay USPS First Class, Media Mail or Priority Mail shipping. I do combined shipping to please take the opportunity to look in my shop for more sewing related items. Check out my other items! If you are wanting to purchase multiple items from my shop, please let me know so I can create a custom listing for you for the items you are wanting with combined shipping. Yes, I ship worldwide. International buyers pay USPS First Class Mail International based on country. I do combined shipping to please take the opportunity to look in my shop for more sewing related items. Check out my other items! If you are wanting to purchase multiple items from my shop, please let me know so I can create a custom listing for you for the items you are wanting with combined shipping to your country. This manual is available in.pdf format and can be emailed to you with FREE shipping. If you would like to have the manual in.pdf format, please email me and I will create a custom listing so you can purchase with the FREE shipping option. Your manual will be emailed to you shortly after payment is received. Please try again. I absolutely love it. Cant wait for my granddaughter to be born so she can enjoy it also! The quilt is beautifully made. Thank you so much DiansOzarkOuilts!It fits her toddler bed almost perfectly.

It's the kind of piece you hope is passed down one day. Etsy is great! Etsy shops never receive your credit card information. Im not responsible for delays due to customs. We suggest contacting the seller directly to respectfully share your concerns. Please Log in to subscribe. Register to confirm your address.